

## EXAMINER'S REMARKS

1. **This application has been reassigned to Technology Center 1700, DIVISION 7: Art Unit 1797 and the following will apply for this application:**

Please direct all written correspondence with the correct application serial number for this application to **Art Unit 1797**.

Telephone inquiries regarding this application should be directed to the Electronic Business Center (EBC) at <http://www.uspto.gov/ebc/index.html> or 1-866-217-9197 or to the Examiner at (571) 272-1139. All official facsimiles should be transmitted to the centralized fax receiving number 571-273-8300.

### ***Priority***

2. Acknowledgment is made of applicant's claim for foreign priority based on an application filed in Germany on 8 AUG 2003. It is noted, however, that the IFW file is lacking a certified copy of the foreign application as required by 35 U.S.C. 119(b).

### ***Drawings***

3. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because replacement sheets that include the revisions corresponding to the annotated sheets filed 8 MAR 2007 are lacking from the IFW file. Replacement sheets that include all the changes made to the annotated sheets are required in reply to the Office action as outlined below to avoid abandonment of the application.

## **INFORMATION ON HOW TO EFFECT DRAWING CHANGES**

### **Replacement Drawing Sheets**

Drawing changes must be made by presenting replacement figures which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments, or remarks, section of the amendment. Any replacement drawing sheet must be identified in the top margin as "Replacement Sheet" (37 CFR 1.121(d)) and include all of the figures appearing on the immediate prior version of the sheet, even though only one figure may be amended. The figure or figure number of the amended drawing(s) must not be labeled as "amended." If the changes to the drawing figure(s) are not accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin.

### **Annotated Drawing Sheets**

A marked-up copy of any amended drawing figure, including annotations indicating the changes made, may be submitted or required by the examiner. The annotated drawing sheets must be clearly labeled as "Annotated Marked-up Drawings" and accompany the replacement sheets.

### **Timing of Corrections**

Applicant is required to submit acceptable corrected drawings within the time period set in the Office action. See 37 CFR 1.85(a). Failure to take corrective action within the set period will result in ABANDONMENT of the application.

If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the "Notice of Allowability." Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136 for filing the corrected drawings after the mailing of a Notice of Allowability.

4. The following is an Examiner's Statement of Reasons for Allowance:

The prior art of record does not teach or fairly suggest a drum separator including the recited configuration of a rising channel that is one or both of (a) not constant and (b) sloped with respect to the drum axis in combination with the one or more distributor channels are not radially oriented with respect to the drum axis.

5. Any comments considered necessary by applicant must be submitted no later than the payment of the Issue Fee and, to avoid processing delays, should preferably **accompany** the Issue Fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles E. Cooley in Art Unit 1797 whose telephone number is (571) 272-1139. The examiner can normally be reached on Mon-Fri.. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1797

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Charles E. Cooley/

Charles E. Cooley  
Primary Examiner  
Art Unit 1797

17 April 2008